ASBP Series Price Computing Retail Scale

As of: Friday, January 16, 2026



Standard Features

- 3 backlit LCD displays on keypad on operator side and 3 backlit LCD displays on revolving column on customer side, with digits 20mm high, for simultaneous indication of weight, price and amount.

- Membrane waterproof numeric and functional keypad with 20 keys and acoustic feedback.
- Stainless steel plate, 230x300mm size.
- Level and adjustable feet.
- Built-in rechargeable battery (about 70h battery life) and 230 Vac power adapter (EU plug).
- RS232/C port for connection to printer.
- Overall height from ground with indicator and column: 530mm.
- Packaging: 550x380x235mm size - approximate weight of 6kg.
- Upon request:
    - ACCREDIA calibration with issuing of relative certificate;
    - 3000e + 3000e dual range CE-M approval.

Dual range price computing scales with column, for commercial use. Connectable to the printer, for amount totalization function. 10 PLU memory.

Specification

Functions:
Price computing:
- change of unit price: €/kg - €/100g
- entry of unit price
- amount totalisation (with optional printer)
- calculation of the change
- 10 PLU memories
Zeroing
Zero tracking
Semi-automatic tare
Digital calibration
Auto switch-off
Backlight command
Low battery warning

Available versions

Code	Max (kg)	d (g)	M 2R (g)*
ASBP6	3/6	1/2	1/2
ASBP15	6/15	2/5	2/5
ASBP30	15/30	5/10	5/10

(*) CE-M divisions are obtainable only with the relative options.

Parts

Part #	Description
Available Versions	
ASBP6	Price-computing retail scale with 3/6 kg dual range capacity, 1/2 g division, stainless steel plate 230x300 mm size, 3 backlit LCD displays on operator side and 3 backlit LCD displays on customer side, membrane waterproof keypad and column.
ASBP15	Price-computing retail scale with 6/15 kg dual range capacity, 2/5 g division, stainless steel plate 230x300 mm size, 3 backlit LCD displays on operator side and 3 backlit LCD displays on customer side, membrane waterproof keypad and column.
ASBP30	Price-computing retail scale with 15/30 kg dual range capacity, 5/10 g division, stainless steel plate 230x300 mm size, 3 backlit LCD displays on operator side and 3 backlit LCD displays on customer side, membrane waterproof keypad and column.

Options

Part #	Description
Calibration Service (Only at Order)	
CT4	ISO 17025 calibration certificate from 6 to 60 kg for single scale/platform. For precision and industrial scales, crane scales. The certificate is provided in digital format (pdf) and sent by e-mail.
Options Only Available at Time of Order	
ECEM2	Multi-range 3000+3000e legal for trade approval, for single platform/scale. NOTE: Depending on the product, the ECEM approval service may require DINICAL calibration service. Check to see if DINICAL is in the product options.
ECEMDOC	Printed EU declaration of conformity, EU certificate of verification, test certificate and metrological book (free download from our website, only for approved CE-M products). NET €.
OBTPRSH	ABS bench thermal printer for Scale House products (to be combined with specific cable for each scale). 58 mm paper width; 50 mm roll diameter; power supply through built-in 110-240 Vac power supplier.
RSCBBC	1,5 m cable for connecting AFW, ALGM, ASB, ASC, ASG, BCSD and HLD series scales to OBTPRSH printer.
Spare Parts	
SHAL14	12V 500mA power supplier (EU).
14DFWBA	Lead battery, 6V 4.5Ah. ATTENTION: for the purchase of the entire INSTAPLUGBK extractable rechargeable battery please refer directly to the TPWLK, TPWP or TPWTS pallet truck data sheet.
15ASBK	Adhesive membrane keyboard for ASB.
15ASBP	Stainless steel weighing plate.
15ASBU	Plastic underplate.
15ASBF	Adjustable foot.
15ASBC	Moulded protective covers in transparent plastic.
15ASBCS	Column support base.