ASW Series Multifunction/Counting Scale

As of: Thursday, January 8, 2026



Standard Features

- Backlit LCD display with 6 digits 24 mm high.
- Membrane waterproof keypad with 7 digits and acoustic feedback.
- Stainless steel plate, 230x300mm size.
- Adjustable feet and level.
- Built-in rechargeable battery (about 70h battery life) and 230 Vac power adapter (EU plug).
- Packaging: 415x380x190mm size - approximate weight of 5kg.
- Upon request: ACCREDIA calibration with issuing of relative certificate.

Professional, multifunction, compact scale with the counting, % weight, weight and pieces quantity check and weight totalization functions.

ASW Series Specification

Functions:
- Counting
- % weight
- Weight, pieces or % quantity check, with 2 thresholds and acoustic alarm
- Weight totalization
- Unit of measure conversion: kg, g, lb, oz
- Zeroing
- Zero tracking
- Semi-automatic tare
- Digital calibration
- Auto switch-off
- Backlight command
- Low battery warning

ASW Series Counting Features

Internal sensitivity and minimum recommended A.P.W.:

Model	ASW3	ASW30
Internal sensitivity g	0,01	0,1
Min. recommended A.P.W. g	0,05	0,5

Available versions

Code	Max (kg)	d (g)
ASW3	3	0,1
ASW30	30	1

Parts

Part #	Description
Available Versions	
ASW3	Counting compact scale with 3 kg capacity, 0,1 g division, stainless steel plate, 230x300 mm size, backlit LCD display and membrane waterproof keypad.
ASW30	Counting compact scale with 30 kg capacity, 1 g division, stainless steel plate, 230x300 mm size, backlit LCD display and membrane waterproof keypad.

Options

Part #	Description
Calibration Service (Only at Order)	
CT3	ISO 17025 calibration certificate up to 5 kg for single scale/platform. For precision and industrial scales, crane scales. The certificate is provided in digital format (pdf) and sent by e-mail.
CT4	ISO 17025 calibration certificate from 6 to 60 kg for single scale/platform. For precision and industrial scales, crane scales. The certificate is provided in digital format (pdf) and sent by e-mail.
Spare Parts	
SHAL14	12V 500mA power supplier (EU).
14DFWBA	Lead battery, 6V 4.5Ah. ATTENTION: for the purchase of the entire INSTAPLUGBK extractable rechargeable battery please refer directly to the TPWLK, TPWP or TPWTS pallet truck data sheet.
15ASBF	Adjustable foot.
15ASWK	ASW Keyboard overlay.
15ASBC	Moulded protective covers in transparent plastic.