ATM Series Compact Scale

As of: Tuesday, December 23, 2025



Standard Features

- Backlit LCD display with 5 digits 25 mm high
- Membrane waterproof simplified keypad with 3 keys
- Stainless steel plate, 190x230mm size
- Level and adjustable feet
- Protection against water spray coming from the top
- Built-in rechargeable battery (about 70h battery life) and 230 VAC power adapter (EU plug)
- Packaging: 275x345x200mm size - approximate weight of 3,7kg
- Upon request:
  - ACCREDIA calibration with issuing of relative certificate;
  - 2x3000e multi interval CE-M approval

Simple and compact scale, as well as easy to clean. Ideal for environments with high hygiene requirements, kitchens and small work spaces. Available also CE-M approved for legal for trade use.

ATM Series Compact Scale Specification

Functions:
- Counting
- Weight or pieces check, with 2 thresholds
- Kg, g conversion
- Zeroing
- Zero tracking
- Semi-automatic tare
- Digital calibration
- 10 x high resolution visualization
- Auto switch-off
- Backlight command
- Low battery warning

Available versions

Code	Max (kg)	d (g)	M 2R (g)*	d HR (g)*
ATM6	3/6	1/2	1/2	1
ATM15	6/15	2/5	2/5	2
ATM25	15/25	5/10	5/10	5

(*) CE-M divisions are obtainable only with the relative options. HR divisions programmable from set-up, not available for approved versions.

Parts

Part #	Description
Available Versions	
ATM6	All-purpose compact scale with 3/6 kg dual range capacity, 1/2 g division, stainless steel plate, dimensions 190x230 mm, backlit LCD disply and membrane waterproof keypad.
ATM15	All-purpose compact scale with 6/15 kg dual range capacity, 2/5 g division, stainless steel plate, dimensions 190x230 mm, backlit LCD disply and membrane waterproof keypad.
ATM25	All-purpose compact scale with 15/25 kg dual range capacity, 5/10 g division, stainless steel plate, dimensions 190x230 mm, backlit LCD disply and membrane waterproof keypad.

Options

Part #	Description
Approval for Sale to Third Parties	
ECEMI2	CE-M Single platform legal for trade multi interval approval.
ECEMDOC	Printed EU declaration of conformity, EU certificate of verification, test certificate and metrological book (free download from our website, only for approved CE-M products). NET €.
Calibration Service (Only at Order)	
CT4	ISO 17025 calibration certificate from 6 to 60 kg for single scale/platform. For precision and industrial scales, crane scales. The certificate is provided in digital format (pdf) and sent by e-mail.
High Resolution (d HR) (only at time of order)	
EHR	High resolution model for internal factory use.
Spare Parts	
SHAL14	12V 500mA power supplier (EU).
14DFWBA	Lead battery, 6V 4.5Ah. ATTENTION: for the purchase of the entire INSTAPLUGBK extractable rechargeable battery please refer directly to the TPWLK, TPWP or TPWTS pallet truck data sheet.
15ATMK	ATM keyboard overlay.