# AWM Series Multifunction/Counting Retail Scale

As of: Friday, January 9, 2026




## Standard Features

- **Backlit LCD dual display** (client/operator side, ideal for commercial use) with 6 digits 24mm high.
- Membrane waterproof keypad with 7 digits and acoustic feedback.
- Stainless steel 230x300mm plate.
- Adjustable feet and level.
- Built-in rechargeable battery (about 70h battery life) and 230 Vac power adapter (EU plug).
- Packaging: 415x380x190mm size - approximate weight of 5kg.
- Upon request:
  - ACCREDIA calibration with issuing of relative certificate
  - 3000e CE-M approval

Portable multifunction scale, with dual display for commercial use. Counting, % weight, weight or pieces, or % quantity check, and totalization functions.

## Specification

**Functions:**
- Counting
- % weight
- Weight, pieces or % quantity check, with 2 thresholds and acoustic alarm
- Weight totalization
- Unit of measure conversion: kg, g, - lb
- Zeroing
- Zero tracking
- Semi-automatic tare
- Digital calibration
- Backlight command
- Low battery warning

## Counting Features

Internal sensitivity and minimum recommended A.P.W.:

| Model | AWM3 | AWM6 | AWM15 | AWM30 |
|---|---|---|---|---|
| Internal sensitivity g | 0,01 | 0,02 | 0,05 | 0,1 |
| Min. recommended A.P.W. g | 0,05 | 0,01 | 0,2 | 0,5 |

## Available versions

| Code | Max (kg) | d (g) | M (g)* |
|---|---|---|---|
| AWM3 | 3 | 1 | 1 |
| AWM6 | 6 | 2 | 2 |
| AWM15 | 15 | 5 | 5 |
| AWM30 | 30 | 10 | 10 |

(*) CE-M divisions are obtainable only with the relative options.

# Parts

| Part # | Description |
| --- | --- |
| **Available Versions** | |
| **AWM3** | Multifunction counting scale with 3 kg capacity, 1 g division, stainless steel plate 230x300 mm, backlit LCD display and membrane waterproof keypad. |
| **AWM6** | Multifunction counting scale with 6 kg capacity, 2 g division, stainless steel plate 230x300 mm, backlit LCD display and membrane waterproof keypad. |
| **AWM15** | Multifunction counting scale with 15 kg capacity, 5 g division, stainless steel plate 230x300 mm, backlit LCD display and membrane waterproof keypad. |
| **AWM30** | Multifunction counting scale with 30 kg capacity, 10 g division, stainless steel plate 230x300 mm, backlit LCD display and membrane waterproof keypad. |

# Options

| Part # | Description |
|---|---|
| **Calibration Service (Only at Order)** | |
| **CT4** | ISO 17025 calibration certificate from 6 to 60 kg for single scale/platform. For precision and industrial scales, crane scales. The certificate is provided in digital format (pdf) and sent by e-mail. |
| **CT3** | ISO 17025 calibration certificate up to 5 kg for single scale/platform. For precision and industrial scales, crane scales. The certificate is provided in digital format (pdf) and sent by e-mail. |
| **Options Only Available at Time of Order** | |
| **ECEMDOC** | Printed EU declaration of conformity, EU certificate of verification, test certificate and metrological book (free download from our website, only for approved CE-M products). NET €. |
| **ECEM** | Single range 3000e legal for trade approval, for single platform/scale. NOTE: Depending on the product, the ECEM approval service may require DINICAL calibration service. Check to see if DINICAL is in the product options. |
| **Spare Parts** | |
| **SHAL14** | 12V 500mA power supplier (EU). |
| **14DFWBA** | Lead battery, 6V 4.5Ah. ATTENTION: for the purchase of the entire INSTAPLUGBK extractable rechargeable battery please refer directly to the TPWLK, TPWP or TPWTS pallet truck data sheet. |
| **15ASBF** | Adjustable foot. |
| **15ASWK** | ASW Keyboard overlay. |
| **15ASBP** | Stainless steel weighing plate. |
| **15ASBU** | Plastic underplate. |
| **15ASBC** | Moulded protective covers in transparent plastic. |